



17950 Preston Road | Suite 1000 | Dallas, TX 75252

RECEIVED  
CENTRAL FAX CENTER

JUL 10 2006

(972) 732-1001  
(972) 732-9218 FAX  
www.slater-matsil.com

## FACSIMILE COVER SHEET

To: Commissioner for Patents Technology Center 1700 Facsimile Number: 571-273-8300	Total Pages Sent: 12 (including cover sheet) Transmission Date: July 10, 2006
--	---

## IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicants:	Ishizaki, et al.	Docket No.:	SCL-003
Serial No.:	10/663,558	Art Unit:	1746
Filed:	September 16, 2003	Examiner:	Rita Ramesh Patel
Title:	Apparatus and Method for Substrate Processing		

## CERTIFICATION OF FACSIMILE TRANSMISSION

I hereby certify that the following papers are being transmitted by facsimile to the U.S. Patent and Trademark Office at 571-273-8300 on the date shown above:

- Certification of Facsimile Transmission (1 page)
- Amendment (11 pages)

Respectfully submitted,

Lynda M. Mane  
Legal Assistant

Confirmation Respectfully Requested

This facsimile is intended only for the use of the address named and contains legally privileged and/or confidential information. If you are not the intended recipient of this telecopy, you are hereby notified that any dissemination, distribution, copying or use of this communication is strictly prohibited. Applicable privileges are not waived by virtue of the document having been transmitted by Facsimile. Any misdirected facsimiles should be returned to the sender by mail at the address indicated on this cover sheet.

**IN THE UNITED STATES PATENT AND TRADEMARK OFFICE****RECEIVED  
CENTRAL FAX CENTER****JUL 10 2006**

Applicants: Ishizaki, et al.

Docket No.: SCL-003

Serial No.: 10/663,558

Art Unit: 1746

Filed: September 16, 2003

Examiner: Rita Ramesh Patel

Title: Apparatus and Method for Substrate Processing

Mail Stop: Amendment  
Commissioner for Patents  
P. O. Box 1450  
Alexandria, VA 22313-1450

**AMENDMENT**

Dear Sir:

The following amendments and remarks are presented in response to the Examiner's  
Office Action mailed April 12, 2006. Please amend the above-referenced application as follows.